

schülke -}

Ready to use peracetic acid solution using vaporisation technology for bio-decontamination of surfaces

perform® select soproper

Our Plus

- Ready to use
- Residue free after vaporisation
- efficacy tested according to European norms (EN)

Application areas

Bio-decontamination of isolators and material transfer chambers by vaporisation technology.

Instructions for use

Vaporise perform® select soproper undiluted. Quantities and times are to be validated on site. Surfaces should be precleaned. Please follow isolator or material transfer chambers manufacturer's instructions.

Leaves no residues on disinfected surfaces.

Microbiological effectiveness is extremely comprehensive (incl. spores) and depends on the vaporisation technology used.

Application parameters including required contact time are dependent upon the vaporisation technology used and are determined by the local conditions of the area to be disinfected, such as size, fittings, temperature, atmospheric humidity.

Microbiological efficacy

Efficacy	Concentration	Contact time
bactericidal EN1276, EN13697	ready-to-use 20 °C	30 sec.
fungicidal EN1650, EN13697	ready-to-use 20 °C	30 sec.
sporicidal EN13704	ready-to-use 20°C	30 sec.





perform® select soproper

Product data

Composition:

100 g solution contains the following active substances: 3.5 g Peracetic Acid

Chemical-physical data

Color colourless

Density 1,075 g/cm3 / 20 °C

Flash point > 100 °C

Form liquid

pH <1 / 20 °C

Viscosity, dynamic 1,54 mPa*s / 20 °C

Special advice

Use disinfectants safely. Always read the label and product information before use.

Good material compatibility with stainless steel, IIR, PVC soft, SI, PEHD, glass, etc. Contact with non-ferrous metals (brass, copper) should be avoided. Recommended storage temperature 5 - 25 °C. Carry and store product container in an upright position.

Information for order

Item	Delivery form	Item no.
perform® select soproper 5kg canister	1/Canister	on request

These products are not available in every country. For more information please contact our local subsidiary or distributor.

Environmental information

schülke manufactures products economically and with advanced, safe and environmentally friendly production processes while at the same time maintaining our high quality standards.

Expert opinion and information

Please visit our website for an overview of all available literature/reports on the product: www.schuelke.com. For individual questions:

Customer Sales Service Phone: +49 40 52100-666 E-Mail: info@schuelke.com





