



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**Desmanol N**      **No Change Service!**

Version 01.03

Revision Date 22.05.2010

Print Date 25.05.2010

Inhalation : of water and seek medical advice.  
                  : Move to fresh air.  
Ingestion : Obtain medical attention.

## 5. FIRE-FIGHTING MEASURES

Special protective equipment for fire-fighters : No special precautions required.  
Suitable extinguishing media : Water, Dry powder, Alcohol-resistant foam, Carbon dioxide (CO<sub>2</sub>)  
Extinguishing media which shall not be used for safety reasons : No information available.  
Specific risk from the substance or the product itself, its combustion products or evolved gases : Vapours may form explosive mixtures with air.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Remove all sources of ignition.  
Environmental precautions : No special environmental precautions required.  
Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

## 7. HANDLING AND STORAGE

### Handling

Safe handling advice : Do not smoke.  
Advice on protection against fire and explosion : Keep away from sources of ignition - No smoking. The hot product gives off combustible vapours.

### Storage

Requirements for storage areas and containers : **Store at room temperature in the original container. Do not store at temperatures above 30°C.**  
Further information : Keep away from direct sunlight. Keep container tightly closed.  
Advice on common storage : Keep away from food and drink. Do not store together with oxidising agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value	Basis
------------	---------	-------	-------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**Desmanol N** No Change Service!

Version 01.03

Revision Date 22.05.2010

Print Date 25.05.2010

Propan-2-ol	67-63-0	Permissible exposure limit: 500 mg/m <sup>3</sup> Permissible exposure limit: 200 ppm	TRGS 900
Propan-2-ol	67-63-0	Ceiling Limit Value: 1.000 mg/m <sup>3</sup> Ceiling Limit Value: 400 ppm	TRGS 900
Propan-2-ol	67-63-0	Permissible exposure limit: 980 mg/m <sup>3</sup> Permissible exposure limit: 400 ppm	OSHA
Propan-1-ol	71-23-8	Permissible exposure limit: 500 mg/m <sup>3</sup> Permissible exposure limit: 200 ppm	OSHA

## Personal protective equipment

Eye protection : If splashes are likely to occur, wear:, Safety glasses  
Hygiene measures : When using do not eat or drink.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

Form : liquid  
Colour : light blue  
Odour : alcohol-like

### Other data

solidification range : < -5 °C  
Initial boiling point : ca. 80 °C  
Flash point : 24 °C  
Method: DIN 51755 Part 1  
Ignition temperature : Propan-2-ol  
425 °C  
Lower explosion limit : Propan-1-ol  
2,1 %(V)  
Vapour pressure : ca.45 hPa at 20 °C  
Density : ca.0,86 g/cm<sup>3</sup> at 20 °C  
Water solubility : at 20 °C  
in all proportions  
pH : 5 - 6 at 1.000 g/l ( 20 °C)  
flow time : < 15 s at 20 °C  
Method: DIN 53211

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**Desmanol N**      **No Change Service!**

Version 01.03

Revision Date 22.05.2010

Print Date 25.05.2010

## 10. STABILITY AND REACTIVITY

- Hazardous reactions : Vapours may form explosive mixture with air. Reaction with oxidising agents
- Hazardous decomposition products : Heating can release vapours which can be ignited.

## 11. TOXICOLOGICAL INFORMATION

- Further information : No data is available on the product itself. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

## 12. ECOLOGICAL INFORMATION

- Biodegradability : Readily biodegradable.  
Method: OECD 301D / EEC 84/449 C6
- Further information : Avoid subsoil penetration.

## 13. DISPOSAL CONSIDERATIONS

- Product : Dispose of the product according to the defined EWC (European Waste Code) No.
- Contaminated packaging : Take empty packaging to the recycling plant.
- Waste key for the unused product : EWC 070604
- Waste key for the unused product(Group) : Waste material of HZVA from fats, lubricants, soaps, detergents, disinfectants and personal protection products.

## 14. TRANSPORT INFORMATION

ADR : UN-Number 1987



Class	3
Classification Code	F1
Packaging group	III
ADR/RID-Labels	3
ICAO-Labels	30
Description of the goods	ALCOHOLS, N.O.S. (Propan-2-ol, Propan-1-ol)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**Desmanol N** No Change Service!

Version 01.03

Revision Date 22.05.2010

Print Date 25.05.2010

**IMDG** : UN-Number 1987 


Class 3  
EmS F-E, S-D  
Packaging group III  
Marine pollutant --  
Description of the goods ALCOHOLS, N.O.S. (Propan-2-ol, Propan-1-ol)

**IATA** : UN-Number 1987 

Class 3  
Packaging group III  
Description of the goods ALCOHOLS, N.O.S. (Propan-2-ol, Propan-1-ol)

## 15. REGULATORY INFORMATION

General advice : In the EU, this product falls under the Directive on biocide products 98/8/EC. The product is classified and labelled in accordance with EC directives or respective national laws.

Symbol : 

Xi  
Irritant

R-phrase(s) : R10 Flammable.  
R41 Risk of serious damage to eyes.  
R67 Vapours may cause drowsiness and dizziness.

S-phrase(s) : S25 Avoid contact with eyes.  
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

### National legislation

Legislation on the control of major-accident hazards involving dangerous substances : The product belongs to at least one of the categories 1 through 11 mentioned in Annex 1 of the Directive 1996/82/EC concerning the control of major accident hazards.

Volatile organic compounds (VOC) content : 73 %  
Directive 1999/13/EC on the limitation of emissions of volatile organic compounds

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**Desmanol N**      **No Change Service!**

Version 01.03

Revision Date 22.05.2010

Print Date 25.05.2010

---

## 16. OTHER INFORMATION

Text of R-phrases mentioned in Section 3

R11	Highly flammable.
R36	Irritating to eyes.
R41	Risk of serious damage to eyes.
R67	Vapours may cause drowsiness and dizziness.

The information given is only of use for possible safety requirements and is based on our actual knowledge. This information does not guarantee any properties. It is the responsibility of the receiver / user of our products to follow existing laws and regulations.

|| Changes compared with the previous edition!!!