

schülke -

buraton<sup>®</sup>

# schülke -}

Ready-to-use, aldehyde-free, rapid disinfectant preparation based on alcohols.

# buraton<sup>®</sup> rapid

#### **Our Plus**

colour and perfume free

- ready to use
- dries quickly without leaving residues
- suitable for application in food production areas
- efficacy tested according to European norms (EN)

#### **Application areas**

Areas where buraton® rapid may be used:

Bread and bakery produce industry:

Decontamination of surfaces, appliances, cutting/slicing machines.

#### Meat industry:

Decontamination of surfaces, appliances, slicers and cutting boards.

#### Beverage industry:

Decontamination of equipment used for bottling/canning and packaging material systems.

#### Pharmaceutical and cosmetic industries:

Decontamination of manufacturing areas (e.g. laminar flow systems), dosing and metering equipment, packaging materials.

#### Personal hygiene:

Decontamination of protective work clothing, shoes etc.

#### Instructions for use

buraton<sup>®</sup> rapid is ready to use and is applied in undiluted form. Ensure complete wetting. Do not use to treat surfaces that are particularly sensitive to alcohol, such as acrylic glass. Maximum application rate 50 ml/sq.m. buraton<sup>®</sup> rapid is specially designed to dry quickly on treated surfaces.

#### **Microbiological efficacy**

Efficacy	Concentration	Contact time
bactericidal EN1276, EN13697	ready-to-use 10 - 20 °C	1 min.
Listeria monocytogenes	ready-to-use	5 min.
Salmonella spp.	ready-to-use	5 min.
fungicidal EN1650, EN13697	ready-to-use 10 - 20 °C	2 min.
virucidal against enveloped viruses in accordance with DVV (German Registered Association for Combating Viral Diseases)//RKI Guideline	ready-to-use	30 sec.

×

URÔ

# buraton<sup>®</sup> rapid

# **Product data**

Composition: 100 g solution contains the following active substances: 25 g Ethanol (94 %), 35 g Propan-1-ol.

#### Chemical-physical data

Color	colourless
Density	0,890 g/cm3 / 20 °C
Flash point	27 °C / Method : DIN 51755 Part 1
Form	liquid
рН	approx. 7 / 20 °C

# **Special advice**

Use disinfectants safely. Always read the label and product information before use.

Do not treat surfaces that are sensitive to alcohol, e.g. acrylic glass.

### Information for order

ltem	Delivery form	ltem no.
buraton <sup>®</sup> rapid 1l bottle	10/Carton	on request
buraton <sup>®</sup> rapid 975I antistatic EC	1/Container	on request
buraton® rapid 10l KA	1/Canister	on request

These products are not available in every country. For more information please contact our local subsidiary or distributor.

# **Application aids**

,
)
)

# **Environmental information**

schülke manufactures products economically and with advanced, safe and environmentally friendly production processes while at the same time maintaining our high quality standards.

### **Expert opinion and information**

Please visit our website for an overview of all available literature/reports on the product: www.schuelke.com. For individual questions: Application Department Phone: +49 40 52100-666 E-Mail: info@schuelke.com



Schülke & Mayr GmbH holds a Manufacturer's Authorisation according to sect 13 para 1 German Drug Law and Certificates of GMP Compliance for medicinal products. schülke Headquarters Schülke & Mayr GmbH Robert-Koch-Str. 2 22851 Norderstedt, Germany Phone +49 40 - 52100 - 0 Fax +49 40 - 52100 - 318 www.schuelke.com info@schuelke.com