

quartasept® plus **No Change Service!**Version
06.01Revision Date:
25.01.2019Date of last issue: 03.08.2018
Date of first issue: 15.02.2006**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name : quartasept® plus

1.2 Relevant identified uses of the substance or mixture and uses advised againstUse of the Sub-
stance/Mixture : Disinfectants and general biocidal productsRecommended restrictions : Use by spraying, Reserved for industrial and professional use.
on use**1.3 Details of the supplier of the safety data sheet**Manufacturer/ Supplier : Schülke & Mayr GmbH
Robert-Koch-Str. 2

22851 Norderstedt
Germany
Telephone: +49 (0)40/ 52100-0
Telefax: +49 (0)40/ 52100318
mail@schuelke.com
www.schuelke.comE-mail address of person
responsible for the
SDS/Contact person : Application Department
+49 (0)40/ 521 00 8800
ApplicationDepartment.SM@schuelke.com
(Schülke & Mayr UK Ltd.: +44-1142543500)**1.4 Emergency telephone number**Emergency telephone num-
ber : UK Poisons Emergency number: 0870 600 6266**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Corrosive to metals, Category 1	H290: May be corrosive to metals.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

quartasept® plus **No Change Service!**Version
06.01Revision Date:
25.01.2019

Date of last issue: 03.08.2018

Date of first issue: 15.02.2006

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)**

Hazard pictograms

:



Signal word

:

Danger

Hazard statements

:

H290 May be corrosive to metals.
 H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

:

P273 Avoid release to the environment.
 P280 Wear protective gloves (e.g. butyl rubber) /protective clothing/eye protection/face protection.
 P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
 P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

7173-51-5

Didecyldimethylammonium chloride

2372-82-9

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine)

Special labelling of certain mixtures

: Labelling according to Regulation (EC) No. 648/2004: (< 5 % non-ionic surfactants)

Further information

:

The product is classified in accordance with Annex I (2.6.4.5) to Regulation (EC) 1272/2008.
 Use biocides safely. Always read the label and product information before use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

No special risks known.

quartasept® plus No Change Service!Version
06.01Revision Date:
25.01.2019

Date of last issue: 03.08.2018

Date of first issue: 15.02.2006

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Chemical nature : Solution of the following substances with harmless additives.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Didecyldimethylammonium chloride	7173-51-5 230-525-2 612-131-00-6 01-2119945987-15-XXXX	Acute Tox. 3; H301 Skin Corr. 1B; H314 Aquatic Acute 1; H400; M = 10 Aquatic Chronic 2; H411	10
Propan-2-ol	67-63-0 200-661-7 603-117-00-0 01-2119457558-25-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	<= 5
Tridecylpolyethylenglycoether	69011-36-5 Polymer --- ---	Acute Tox. 4; H302 Eye Dam. 1; H318	< 5
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine)	2372-82-9 219-145-8 --- 01-2119980592-29-XXXX	Acute Tox. 3; H301 Skin Corr. 1B; H314 STOT RE 2; H373 Aquatic Acute 1; H400; M = 10 Aquatic Chronic 1; H410; M = 1	1,8

For explanation of abbreviations see section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

General advice : Take off all contaminated clothing immediately.

If inhaled : Move the victim to fresh air.
If symptoms persist, call a physician.In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.
If symptoms persist, call a physician.

In case of eye contact : In case of eye contact, remove contact lens and rinse imme-

quartasept® plus **No Change Service!**Version
06.01Revision Date:
25.01.2019

Date of last issue: 03.08.2018

Date of first issue: 15.02.2006

diately with plenty of water, also under the eyelids, for at least 15 minutes.

Call a physician immediately.

If swallowed : Do NOT induce vomiting.
Rinse mouth with water.
Give small amounts of water to drink.
Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : corrosive effects

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media : Water spray jet
Dry powder
Foam
Carbon dioxide (CO₂)

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon dioxide (CO₂)
Carbon monoxide
Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Increased risk of slipping in the presence of leaked / spilled product.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.

quartasept® plus *No Change Service!*Version
06.01Revision Date:
25.01.2019

Date of last issue: 03.08.2018

Date of first issue: 15.02.2006

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

see Section 8 + 13

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Advice on safe handling : Avoid formation of aerosol.
Ensure adequate ventilation.

Advice on protection against fire and explosion : No special protective measures against fire required.

Hygiene measures : Keep away from food and drink.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store at room temperature in the original container.

Further information on storage conditions : Keep away from heat. Keep away from direct sunlight. Keep container tightly closed.

Advice on common storage : Do not store near acids.

7.3 Specific end use(s)

Specific use(s) : none

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:**

Substance name	End Use	Exposure routes	Potential health effects	Value
Propan-2-ol	Workers	Skin contact	Long-term exposure, Systemic effects	888 mg/kg
	Workers	Inhalation	Long-term exposure, Systemic effects	500 mg/m ³
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine)	Workers	Inhalation	Long-term systemic effects	2,35 mg/m ³
	Workers	Skin contact	Long-term systemic effects	0,91 mg/kg

quartasept® plus No Change Service!Version
06.01Revision Date:
25.01.2019

Date of last issue: 03.08.2018

Date of first issue: 15.02.2006

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Propan-2-ol	Fresh water	140,9 mg/l
	Marine water	140,9 mg/l
	Fresh water sediment	552 mg/kg
	Marine sediment	552 mg/kg
	Soil	28 mg/kg
	Intermittent use/release	140,9 mg/l
	Effects on waste water treatment plants	2251 mg/l
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine)	Oral	160 mg/kg food
	Fresh water	0,001 mg/l
	Marine water	0,0001 mg/l
	Fresh water sediment	8,5 mg/kg
	Marine sediment	0,85 mg/kg
	Soil	45,34 mg/kg
	Sewage treatment plant	1,33 mg/l

8.2 Exposure controls**Engineering measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye protection : Safety glasses with side-shields conforming to EN166

Hand protection

Directive

: The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Remarks

: Splash protection: disposable nitrile rubber gloves e.g. Dermatril (layer thickness: 0.11 mm) made by KCL or gloves from other manufacturers offering the same protection. Prolonged contact: Nitrile rubber gloves e.g. Camatril (>480 Min., layer thickness: 0,40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0,70 mm) made by KCL or gloves from other manufacturers offering the same protection.

Protective measures

: Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Appearance : liquid

Colour : nearly colourless

Odour : characteristic

Odour Threshold : not determined

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke -t

quartasept® plus **No Change Service!**

Version
06.01

Revision Date:
25.01.2019

Date of last issue: 03.08.2018
Date of first issue: 15.02.2006

pH	:	ca. 9 (20 °C)
Melting point/freezing point	:	< -5 °C
Decomposition temperature	:	Not applicable
Boiling point/boiling range	:	ca. 90 °C
Flash point	:	49 °C Method: DIN 51755 Part 1
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour density	:	No data available
Relative density	:	ca. 0,98 g/cm ³ (20 °C)
Solubility(ies) Water solubility	:	in all proportions (20 °C)
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Viscosity Viscosity, dynamic	:	ca. 23 mPa*s (20 °C) Method: ISO 3219
Explosive properties	:	No data available
Oxidizing properties	:	No data available

9.2 Other information

Flammability (liquids)	:	Does not sustain combustion.
Metal corrosion rate	:	> 6,25 mm/a Corrosive to metals Aluminium and Mild steel

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke -

quartasept® plus *No Change Service!*

Version
06.01

Revision Date:
25.01.2019

Date of last issue: 03.08.2018
Date of first issue: 15.02.2006

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : None reasonably foreseeable.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Strong acids

10.6 Hazardous decomposition products

None reasonably foreseeable.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: ca. 1.800 mg/kg
Assessment: Harmful if swallowed.

Acute inhalation toxicity : Acute toxicity estimate: > 50 mg/l

Acute dermal toxicity : Acute toxicity estimate: > 15.000 mg/kg

Components:

Didecyldimethylammonium chloride:

Acute oral toxicity : LD50 (Rat): 238 mg/kg
Method: OECD Test Guideline 401
Assessment: Toxic if swallowed.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): 3.342 mg/kg

Propan-2-ol:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 39 mg/l
Exposure time: 4 h

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Tridecylpolyethylenglycolether:

Acute oral toxicity : LD50 (Rat): 300 - 2.000 mg/kg

quartasept® plus *No Change Service!*Version
06.01Revision Date:
25.01.2019

Date of last issue: 03.08.2018

Date of first issue: 15.02.2006

Assessment: Harmful if swallowed.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine):Acute oral toxicity : LD50 Oral (Rat): 261 mg/kg
Method: OECD Test Guideline 401
Assessment: Toxic if swallowed.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation**Product:**Assessment : Causes severe skin burns and eye damage.
Method : Calculation method**Components:****Didecyldimethylammonium chloride:**Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : Corrosive**Propan-2-ol:**

Result : No skin irritation

Tridecylpolyethylenglycolether:Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation**N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine):**Species : Rabbit
Assessment : Causes severe burns.
Method : OECD Test Guideline 404**Serious eye damage/eye irritation****Product:**Assessment : Causes serious eye damage.
Method : Calculation method

quartasept® plus *No Change Service!*Version
06.01Revision Date:
25.01.2019

Date of last issue: 03.08.2018

Date of first issue: 15.02.2006

Components:**Didecyldimethylammonium chloride:**

Result : Corrosive

Propan-2-ol:

Result : Causes serious eye irritation.

Tridecylpolyethylenglycolether:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Risk of serious damage to eyes.

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine):

Assessment : Causes serious eye damage.

Respiratory or skin sensitisation**Components:****Didecyldimethylammonium chloride:**

Test Type : Buehler Test

Species : Guinea pig

Result : Did not cause sensitisation on laboratory animals.

Propan-2-ol:

Test Type : Buehler Test

Species : Guinea pig

Result : Did not cause sensitisation on laboratory animals.

Tridecylpolyethylenglycolether:

Test Type : Maximisation Test

Species : Guinea pig

Result : Did not cause sensitisation on laboratory animals.

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine):

Test Type : Buehler Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity**Components:****Didecyldimethylammonium chloride:**

Genotoxicity in vitro : Method: OECD Test Guideline 471

Result: Not mutagenic in Ames Test

quartasept® plus *No Change Service!*Version
06.01Revision Date:
25.01.2019

Date of last issue: 03.08.2018

Date of first issue: 15.02.2006

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 475
Remarks: negative

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

Propan-2-ol:

Genotoxicity in vitro : Test Type: Ames test
Method: Mutagenicity (Escherichia coli - reverse mutation assay)
Result: Non mutagenic

Genotoxicity in vivo : Species: Mouse
Method: Mutagenicity (micronucleus test)
Remarks: Non mutagenic

Germ cell mutagenicity- Assessment : Not mutagenic in Ames Test

Tridecylpolyethylenglycoether:

Genotoxicity in vitro : Result: Not mutagenic in Ames Test

Germ cell mutagenicity- Assessment : Not mutagenic in Ames Test

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine):

Genotoxicity in vitro : Method: OECD Test Guideline 471
Result: Not mutagenic in Ames Test

Germ cell mutagenicity- Assessment : Not mutagenic in Ames Test

Carcinogenicity**Components:****Didecyldimethylammonium chloride:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Propan-2-ol:

Carcinogenicity - Assessment : Based on available data, the classification criteria are not met.

Tridecylpolyethylenglycoether:

Carcinogenicity - Assessment : Based on available data, the classification criteria are not met.

quartasept® plus *No Change Service!*Version
06.01Revision Date:
25.01.2019

Date of last issue: 03.08.2018

Date of first issue: 15.02.2006

ment

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine):

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Reproductive toxicity**Components:****Didecyldimethylammonium chloride:**

Reproductive toxicity - Assessment : No data available

Propan-2-ol:Effects on foetal development : Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 400 mg/kg body weight

Reproductive toxicity - Assessment : Based on available data, the classification criteria are not met.

Tridecylpolyethylenglycolether:Effects on foetal development : Test Type: Two-generation study
Species: Rat
Application Route: Dermal
General Toxicity Maternal: NOAEL: > 250 mg/kg body weight
Developmental Toxicity: NOAEL F1: > 250 mg/kg body weight
Embryo-foetal toxicity: NOAEL F2: > 250 mg/kg body weight

Reproductive toxicity - Assessment : Based on available data, the classification criteria are not met.

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine):

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT - single exposure**Components:****Didecyldimethylammonium chloride:**

Remarks : No data available

Propan-2-ol:

Assessment : May cause drowsiness or dizziness.

Tridecylpolyethylenglycolether:

Assessment : The substance or mixture is not classified as specific target

quartasept® plus **No Change Service!**Version
06.01Revision Date:
25.01.2019Date of last issue: 03.08.2018
Date of first issue: 15.02.2006

organ toxicant, single exposure.

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine):

Remarks : No data available

STOT - repeated exposure**Components:****Didecyldimethylammonium chloride:**

Remarks : No data available

Propan-2-ol:

Remarks : Based on available data, the classification criteria are not met.

Tridecylpolyethylenglycoether:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine):

Target Organs : Kidney

Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine):**Species : Rat
NOAEL : 9 mg/kg
Application Route : Oral
Exposure time : 90-day
Method : OECD Test Guideline 408**Aspiration toxicity**

No data available

Further information**Product:**

Remarks : No data is available on the product itself.

quartasept® plus **No Change Service!**Version
06.01Revision Date:
25.01.2019

Date of last issue: 03.08.2018

Date of first issue: 15.02.2006

SECTION 12: Ecological information**12.1 Toxicity****Product:****Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:**Didecyldimethylammonium chloride:**Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0,19 mg/l
Exposure time: 96 hToxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0,062 mg/l
aquatic invertebrates Exposure time: 48 hToxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,026
mg/l
Exposure time: 96 hM-Factor (Acute aquatic tox- : 10
icity)Toxicity to fish (Chronic tox- : NOEC: 0,032 mg/l
icity) Exposure time: 34 d
Species: Pimephales promelas (fathead minnow)
Method: OECD Test Guideline 210Toxicity to daphnia and other : NOEC: 0,014 mg/l
aquatic invertebrates (Chron- Exposure time: 21 d
ic toxicity) Species: Daphnia magna (Water flea)
Method: Expert judgement and weight of evidence determina-
tion.M-Factor (Chronic aquatic : 1
toxicity)**Propan-2-ol:**Toxicity to fish : LC50 (Leuciscus idus): > 100 mg/l
Exposure time: 48 h
Test Type: static testToxicity to daphnia and other : EC50 (Daphnia magna): > 100 mg/l
aquatic invertebrates Exposure time: 48 h
Test Type: static testToxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: static test

quartasept® plus **No Change Service!**Version
06.01Revision Date:
25.01.2019

Date of last issue: 03.08.2018

Date of first issue: 15.02.2006

Tridecylpolyethylenglycolether:

- Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 10 - 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna): 10 - 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 1 - 10 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 2,6 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine):

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,45 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,073 mg/l
Exposure time: 48 h
- Toxicity to algae : ErC10 (Desmodesmus subspicatus (green algae)): 0,012 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Selenastrum capricornutum (green algae)): > 0,001 - 0,01 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,024 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
- M-Factor (Chronic aquatic toxicity) : 1

12.2 Persistence and degradability**Product:**

- Biodegradability : Remarks: According to OECD criteria, the product is inherently biodegradable.
The statement has been derived from the properties of the individual components.

quartasept® plus *No Change Service!*Version
06.01Revision Date:
25.01.2019

Date of last issue: 03.08.2018

Date of first issue: 15.02.2006

Components:**Didecyldimethylammonium chloride:**Biodegradability : Result: Readily biodegradable.
Method: OECD 301B/ ISO 9439/ EEC 84/449 C5**Propan-2-ol:**

Biodegradability : Result: Readily biodegradable.

Tridecylpolyethylenglycolether:Biodegradability : Result: Readily biodegradable.
Method: OECD 301B/ ISO 9439/ EEC 84/449 C5**N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine):**Biodegradability : Result: rapidly biodegradable
Biodegradation: 79 %
Exposure time: 28 d
Method: OECD Test Guideline 301D**12.3 Bioaccumulative potential****Components:****Didecyldimethylammonium chloride:**Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 46 d
Bioconcentration factor (BCF): 81**Propan-2-ol:**

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n- : log Pow: 0,05 (20 °C)
octanol/water Method: OECD Test Guideline 107**Tridecylpolyethylenglycolether:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine):

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n- : log Pow: -0,7
octanol/water**12.4 Mobility in soil****Components:****Didecyldimethylammonium chloride:**

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke -†

quartasept® plus *No Change Service!*

Version
06.01

Revision Date:
25.01.2019

Date of last issue: 03.08.2018
Date of first issue: 15.02.2006

Mobility : Remarks: Mobile in soils

Propan-2-ol:

Mobility : Remarks: Mobile in soils

Tridecylpolyethylenglycolether:

Mobility : Remarks: Adsorbs on soil., immobile

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine):

Mobility : Remarks: After release, adsorbs onto soil.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological information : None known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of the product according to the defined EWC (European Waste Code) No.

Contaminated packaging : Take empty packaging to the recycling plant.

Waste key for the unused product : European waste catalog (EWC) 070601

Waste key for the unused product(Group) : Waste material of HZVA from fats, lubricants, soaps, detergents, disinfectants and personal protection products.

SECTION 14: Transport information

14.1 UN number

IMDG : UN 1903

IATA : UN 1903

14.2 UN proper shipping name

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke -t

quartasept® plus *No Change Service!*

Version
06.01

Revision Date:
25.01.2019

Date of last issue: 03.08.2018
Date of first issue: 15.02.2006

IMDG : DISINFECTANT, LIQUID, CORROSIVE, N.O.S.
(Didecyldimethylammonium chloride)

IATA : DISINFECTANT, LIQUID, CORROSIVE, N.O.S.
(Didecyldimethylammonium chloride)

14.3 Transport hazard class(es)

IMDG : 8

IATA : 8

14.4 Packing group

IMDG
Packing group : III
Labels : 8
EmS Code : F-A, S-B

IATA (Cargo)
Packing instruction (cargo aircraft) : 856
Packing group : III
Labels : Corrosive

IATA (Passenger)
Packing group : III
Labels : Corrosive

14.5 Environmental hazards

IMDG
Marine pollutant : yes

14.6 Special precautions for user

Remarks : Not classified as supporting combustion according to the transport regulations.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.
For personal protection see section 8.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

quartasept® plus **No Change Service!**Version
06.01Revision Date:
25.01.2019Date of last issue: 03.08.2018
Date of first issue: 15.02.2006

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008

Met. Corr. 1, H290	: On basis of test data.
Acute Tox. 4, H302	: Calculation method
Skin Corr. 1B, H314	: Calculation method
Eye Dam. 1, H318	: Calculation method
Aquatic Acute 1, H400	: Calculation method
Aquatic Chronic 2, H411	: Calculation method

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke -†

quartasept® plus *No Change Service!*

Version
06.01

Revision Date:
25.01.2019

Date of last issue: 03.08.2018
Date of first issue: 15.02.2006
