According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Version Revision Date: Date of last issue: 06.06.2019

06.00 28.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : thermosept® PAA base Unique Formula Identifier : SQ90-C0TF-A00S-K4PD

(UFI)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Disinfectant for medical device

stance/Mixture

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Producer : BIOXAL

ZI Sud Secteur A Route des Varennes

71100 Chalon-sur-Saône

France

Telephone: + 33 (0) 3 85 92 30 00 Telefax: + 33 (0) 3 85 92 30 12

Supplier : Schülke & Mayr UK Ltd.

Cygnet House

1, Jenkin Road, Meadowhall

Sheffield S9 1AT United Kingdom

Telephone: +44 114 254 35 00 Telefax: +44 114 254 35 01 mail.uk@schulke.com

1.4 Emergency telephone number

Emergency telephone num: Carechem 24 International: +44 1235 239670

ber

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019)

Oxidizing liquids, Category 2 H272: May intensify fire; oxidizer.

Corrosive to metals, Category 1 H290: May be corrosive to metals.

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Revision Date: Version Date of last issue: 06.06.2019

06.00 28.04.2023

> Acute toxicity, Category 4 H302: Harmful if swallowed.

Acute toxicity, Category 4 H332: Harmful if inhaled.

Skin corrosion, Sub-category 1A H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Specific target organ toxicity - single exposure, Category 3, Respiratory system

H335: May cause respiratory irritation.

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019)

Hazard pictograms









Signal word Danger

May intensify fire; oxidizer. Hazard statements H272

H290 May be corrosive to metals.

H302 + H332 Harmful if swallowed or if inhaled. H314 Causes severe skin burns and eye damage. Very toxic to aquatic life with long lasting effects. H410

Supplemental Hazard

Statements

EUH071 Corrosive to the respiratory tract.

Precautionary statements Prevention:

> P220 Keep away from clothing and other combustible mate-

rials.

Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P310 Immediately call a POISON CENTER/ doctor. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do

NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or show-

P304 + P340 IF INHALED: Remove victim to fresh air and

keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with wa-

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Version Revision Date: Date of last issue: 06.06.2019

06.00 28.04.2023

ter for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Hazardous components which must be listed on the label:

acetic acid

hydrogen peroxide peracetic acid

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Oxidizer. Contact with other material may cause fire.

Organic peroxide. Hazardous decomposition may occur.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Solution of the following substances

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
acetic acid	64-19-7 200-580-7 607-002-00-6 01-2119475328-30- XXXX	Flam. Liq. 3; H226 Skin Corr. 1A; H314 Eye Dam. 1; H318 ————————————————————————————————————	>= 10 - < 20
hydrogen peroxide	7722-84-1 231-765-0 008-003-00-9	Ox. Liq. 1; H271 Acute Tox. 4; H302 Acute Tox. 4; H332	>= 10 - < 20

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Version Revision Date: Date of last issue: 06.06.2019 06.00 28.04.2023

peracetic acid 79-21-0 201-186-8 607-094-00-8 01-2119531330-56- XXXX Plant Liq. 3; H226 Org. Perox. D; H242 Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 4; H312 Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10		01-2119485845-22- XXXX	Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) Aquatic Chronic 3; H412 ———————————————————————————————————	
specific concentra- tion limit	peracetic acid	201-186-8 607-094-00-8 01-2119531330-56-	Org. Perox. D; H242 Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 4; H312 Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10 ————————————————————————————————————	>= 5 - < 10

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Revision Date: Date of last issue: 06.06.2019 Version

28.04.2023 06.00

>= 1 %

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice Take off all contaminated clothing immediately.

In the case of accident or if you feel unwell, seek medical ad-

vice immediately (show the label where possible).

If inhaled Move the victim to fresh air and keep him calm.

If symptoms persist, call a physician.

Wash off immediately with plenty of water. In case of skin contact

Call a physician immediately.

In case of eye contact, remove contact lens and rinse imme-In case of eye contact

diately with plenty of water, also under the eyelids, for at least

15 minutes.

Call a physician immediately.

If swallowed Do NOT induce vomiting.

Rinse mouth with water.

Give small amounts of water to drink.

Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Treat symptomatically.

Risks Harmful if swallowed or if inhaled.

> Causes serious eye damage. Corrosive to the respiratory tract.

Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment For specialist advice physicians should contact the Poisons

Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray jet

Foam Dry powder

Unsuitable extinguishing

Carbon dioxide (CO2)

media Do NOT use water jet.

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Revision Date: Date of last issue: 06.06.2019 Version

06.00 28.04.2023

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Cool closed containers exposed to fire with water spray.

Hazardous combustion prod: :

ucts

Oxygen Carbon dioxide (CO2)

Carbon monoxide

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Handle in accordance with good industrial hygiene and safety

practice.

Avoid contact with skin and eyes.

Do not breathe vapour.

Remove all sources of ignition.

6.2 Environmental precautions

Environmental precautions Avoid subsoil penetration.

Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material.

> Unsuitable material for picking up: Absorbent material, organic

Kieselguhr Sawdust

Keep in suitable, closed containers for disposal.

Clean contaminated surface thoroughly.

Flush with water.

6.4 Reference to other sections

see Section 8 + 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Provide sufficient air exchange and/or exhaust in work rooms.

Handle and open container with care.

Never return unused material to storage receptacle.

Advice on protection against

fire and explosion

Keep away from sources of ignition - No smoking. Keep away from combustible material. May cause or intensify fire; oxidiz-

er

Z11460 ZSDB_P_GB EN

Page 6/22

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Version Revision Date: Date of last issue: 06.06.2019

06.00 28.04.2023

Hygiene measures : When using do not eat or drink. Take off all contaminated

clothing immediately.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep only in the original container. Suitable container and packaging materials for safe storage Plastic container of HDPE Polyethylene glass Unsuitable materials for containers Metals Store in a receptacle equipped with a vent. Keep in a

bunded area.

Further information on stor-

age conditions

Keep away from heat. Keep away from direct sunlight. Store in cool place. Do not keep the container sealed. Recommend-

ed storage temperature: 5 - 25°C

Advice on common storage : Do not store together with explosives, gases, oxidizing solids,

products which form flammable gases in contact with water,

infectious products and radioactive products.

7.3 Specific end use(s)

Specific use(s) : none

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
acetic acid	64-19-7	STEL	20 ppm 50 mg/m3	GB EH40
		TWA	10 ppm 25 mg/m3	GB EH40
		TWA	10 ppm 25 mg/m3	2017/164/EU
	Further inform	nation: Indicative		
		STEL	20 ppm 50 mg/m3	2017/164/EU
	Further information: Indicative			
hydrogen peroxide	7722-84-1	TWA	1 ppm 1.4 mg/m3	GB EH40
		STEL	2 ppm 2.8 mg/m3	GB EH40
		PEL	1.25 mg/m3	Biocide dos- sier
		STEL	1.25 mg/m3	Biocide dos- sier
peracetic acid	79-21-0	PEL	0.16 ppm 0.5 mg/m3	Biocide dos- sier
		STEL	0.16 ppm 0.5 mg/m3	Biocide dos- sier

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Version Revision Date: Date of last issue: 06.06.2019

06.00 28.04.2023

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
hydrogen peroxide	Workers	Inhalation	Long-term local ef-	1.4 mg/m3
			fects	
acetic acid	Workers	Inhalation	Acute local effects	25 mg/m3
	Workers	Inhalation	Long-term local ef-	25 mg/m3
			fects	

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
hydrogen peroxide	Fresh water	0.0126 mg/l
	Marine water	0.0126 mg/l
	Effects on waste water treatment plants	4.66 mg/l
	Fresh water sediment	0.047 mg/kg
	Marine sediment	0.047 mg/kg
	Soil	0.0023 mg/kg
acetic acid	Fresh water	3.058 mg/l
	Marine water	0.306 mg/l
	Fresh water sediment	11.36 mg/kg
	Marine sediment	1.136 mg/kg
	Intermittent use/release	30.58 mg/l
	Soil	0.478 mg/kg
	Effects on waste water treatment plants	85 mg/l
peracetic acid	Fresh water	0.0069 µg/l
	Marine water	0.069 µg/l
	Effects on waste water treatment plants	0.051 mg/l
	Effects on terrestrial organisms	0.282 mg/kg

8.2 Exposure controls

Engineering measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye/face protection : Face-shield

Hand protection

Directive : The selected protective gloves have to satisfy the specifica-

tions of Regulation (EU) 2016/425 and the standard EN 374

derived from it.

Remarks : Splash protection: disposable nitrile rubber gloves e.g.

Dermatril (layer thickness: 0.11 mm) made by KCL or gloves from other manufacturers offering the same protection. Prolonged contact: Nitrile rubber gloves e.g. Camatril (>120 Min., layer thickness: 0.40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0.70 mm) made by KCL or gloves from other manufacturers offering the same protec-

tion.

Skin and body protection : Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Wear as appropriate:

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Version Revision Date: Date of last issue: 06.06.2019

06.00 28.04.2023

Chemical resistant apron

Boots Neoprene

Respiratory protection : If the occupational exposure limits cannot be met, in excep-

tional cases suitable respiratory equipment should be worn

only for a short period of time.

Combination filter:

A2B2E2K2 Hg NO P3 P D/ CO 20 P3 R D

Protective measures : Do not breathe vapour.

Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : colourless

Odour : vinegar-like

Odour Threshold : not determined

pH : <1 (20 °C)

Concentration: 100 %

Melting point/freezing point : No data available

Decomposition temperature No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.09 g/cm3 (20 °C)

Solubility(ies)

Water solubility : completely soluble

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Version Revision Date: Date of last issue: 06.06.2019

06.00 28.04.2023

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Viscosity

Viscosity, dynamic : 14.9 mPa*s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is classified as oxidizing with the

category 2.

9.2 Other information

Metal corrosion rate : Corrosive to metals Aluminium and Mild steel

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

Self-Accelerating decomposition temperature (SADT): >60°C

10.3 Possibility of hazardous reactions

Hazardous reactions : To avoid thermal decomposition, do not overheat.

Keep away from combustible material.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Acid chlorides

Aldehydes Metals Strong acids

10.6 Hazardous decomposition products

Oxygen

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,217 mg/kg

Method: Calculation method

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Version Revision Date: Date of last issue: 06.06.2019

06.00 28.04.2023

Acute inhalation toxicity : Acute toxicity estimate: 4.95 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

acetic acid:

Acute oral toxicity : LD50 (Rat): 3,310 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 39.8 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

hydrogen peroxide:

Acute oral toxicity : LD50 (Rat): 801 mg/kg

Remarks: Harmful if swallowed.

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after

short term inhalation.

Remarks: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, Annex

VI, Table 3.1

Acute dermal toxicity : LD50 (Rat): 6,500 mg/kg

peracetic acid:

Acute oral toxicity : LD50: 300 - 2,000 mg/kg

Assessment: Harmful if swallowed.

Acute inhalation toxicity : LC50: 1 - 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Assessment: Harmful if inhaled.

Acute dermal toxicity : LD50: 1,000 - 2,000 mg/kg

Assessment: Harmful if inhaled.

Skin corrosion/irritation

Causes severe burns.

Components:

acetic acid:

Species : Rabbit

Method : OECD Test Guideline 404

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Version Revision Date: Date of last issue: 06.06.2019

06.00 28.04.2023

Result : Corrosive after 3 minutes or less of exposure

hydrogen peroxide:

Species : Rabbit

Result : Corrosive after 3 minutes or less of exposure

peracetic acid:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

acetic acid:

Species : Rabbit

Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

hydrogen peroxide:

Species : Rabbit

Result : Irreversible effects on the eye

peracetic acid:

Species : Rabbit

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

acetic acid:

Result : No data available

hydrogen peroxide:

Species : Guinea pig

Result : Did not cause sensitisation on laboratory animals.

peracetic acid:

Species : Mouse

Result : Did not cause sensitisation on laboratory animals.

Remarks : Substance is not considered to be potential skin sensitiser.

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Revision Date: Version Date of last issue: 06.06.2019

06.00 28.04.2023

Germ cell mutagenicity

Not classified based on available information.

Components:

acetic acid:

Genotoxicity in vitro Test Type: Ames test

Result: negative

hydrogen peroxide:

Genotoxicity in vitro Test Type: Ames test

Result: negative

Test Type: in vivo assay Genotoxicity in vivo

Result: Non mutagenic

peracetic acid:

Germ cell mutagenicity- As-

sessment

Germ cell effects are not relevant., The substance has been tested for mutagenicity and other types of genotoxic effects in

in vitro and in vivo experiments and is evaluated as being non-

mutagenic.

Carcinogenicity

Not classified based on available information.

Components:

acetic acid:

Carcinogenicity - Assess-

Animal testing did not show any carcinogenic effects.

ment

hydrogen peroxide:

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

peracetic acid:

Carcinogenicity - Assess-

No structural alerts for carcinogenicity were found.

ment

Reproductive toxicity

Not classified based on available information.

Components:

acetic acid:

Reproductive toxicity - As- : Animal testing did not show any effects on fertility.

sessment

hydrogen peroxide:

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Version Revision Date: Date of last issue: 06.06.2019

06.00 28.04.2023

Reproductive toxicity - As-

sessment

Animal testing did not show any effects on fertility.

peracetic acid:

Effects on foetal develop- : Species: Rat

ment

Application Route: Oral

General Toxicity Maternal: NOAEL: 100 mg/l

Teratogenicity: NOAEL F1: 100 mg/l

Reproductive toxicity - As-

sessment

: Animal testing did not show any effects on fertility.

STOT - single exposure

Corrosive to the respiratory tract.

Components:

acetic acid:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

hydrogen peroxide:

Target Organs : Respiratory Tract

Assessment : May cause respiratory irritation.

peracetic acid:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:

acetic acid:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

hydrogen peroxide:

Assessment : No data available

peracetic acid:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

acetic acid:

Species : Rat

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Version Revision Date: Date of last issue: 06.06.2019

06.00 28.04.2023

NOAEL : 1,800 mg/kg
Application Route : Oral
Exposure time : 14-days

hydrogen peroxide:

Species : Rat

NOAEL : 26 mg/kg

Application Route : Oral

Exposure time : 3 months

Remarks : No adverse effect has been observed in chronic toxicity tests.

Species : Rat NOAEL : 0.0029 mg/l

Application Route : inhalation (vapour)

Method : OECD Test Guideline 407

peracetic acid:

Species : Rat

NOAEL : 15 mg/kg

Exposure time : 90-day

Remarks : No adverse effect has been observed in sub chronic toxicity

tests.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : The product has not been tested.

Description of possible hazardous to health effects is based on experience and/or toxicological characteristics of several

components.

If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

SECTION 12: Ecological information

12.1 Toxicity

Components:

acetic acid:

Toxicity to fish : LC50 (Gambusia affinis (Mosquito fish)): 251 mg/l

Exposure time: 96 h Test Type: static test


Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna): 95 mg/l

Exposure time: 24 h

Toxicity to algae/aquatic : EC100 (Euglena gracilis): 720 mg/l





thermosept® PAA base No Change Service!

Version Revision Date: Date of last issue: 06.06.2019

06.00 28.04.2023

plants Exposure time: 0.25 h

hydrogen peroxide:

Toxicity to fish : LC50 (Fish): 16.4 - 37.4 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 2.4 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Skeletonema costatum (marine diatom)): 1.38 mg/l

Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.63 mg/l

Exposure time: 72 h

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.63 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

peracetic acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.1 mg/l

Exposure time: 96 h Test Type: semi-static test

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna): 0.73 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.061

mg/l

Exposure time: 72 h Test Type: static test

M-Factor (Acute aquatic tox-

icity)

: 1

: 10

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.00069 mg/l

Exposure time: 33 d Species: Danio rerio (zebra fish)

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.0121 mg/l

Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

Species: Daphnia magna (Water flea)

12.2 Persistence and degradability

Components:

acetic acid:

Biodegradability : Result: Totally biodegradable

Z11460 ZSDB_P_GB EN

Page 16/22

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Version Revision Date: Date of last issue: 06.06.2019

06.00 28.04.2023

Method: OECD 301D / EEC 84/449 C6

hydrogen peroxide:

Biodegradability : Result: Totally biodegradable

Method: OECD Test Guideline 301

peracetic acid:

Biodegradability : Result: Readily biodegradable.

Method: OECD Test Guideline 301

12.3 Bioaccumulative potential

Components:

acetic acid:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

hydrogen peroxide:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

: log Pow: -1.57

peracetic acid:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

: log Pow: -0.26 (20 °C)

Method: Calculated value

12.4 Mobility in soil

Components:

acetic acid:

Mobility : Remarks: No data available

hydrogen peroxide:

Mobility : Medium: Water

Remarks: Hydrolyses readily.

peracetic acid:

Mobility : Medium: Water

Remarks: Hydrolyses readily.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Version Revision Date: Date of last issue: 06.06.2019

06.00 28.04.2023

very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten: The substance/mixture does not contain components considtial ered to have endocrine disrupting properties according to

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Additional ecological infor-

mation

No data is available on the product itself.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Disposal together with normal waste is not allowed. Special

disposal required according to local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

 ADR
 : UN 3149

 IMDG
 : UN 3149

 IATA
 : UN 3149

14.2 UN proper shipping name

ADR : HYDROGEN PEROXIDE AND PEROXYACETIC ACID

MIXTURE, STABILIZED

IMDG : HYDROGEN PEROXIDE AND PEROXYACETIC ACID

MIXTURE, STABILIZED

IATA : Hydrogen peroxide and peroxyacetic acid mixture stabilized

14.3 Transport hazard class(es)

ADR : 5.1 **IMDG** : 5.1 **IATA** : 5.1

14.4 Packing group

ADR

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Version Revision Date: Date of last issue: 06.06.2019

06.00 28.04.2023

Packing group : II
Classification Code : OC1
Hazard Identification Number : 58
Labels : 5.1 (8)
Tunnel restriction code : (E)

IMDG

Packing group : II Labels : 5.1 (8) EmS Code : F-H, S-Q

IATA (Cargo)

Packing instruction (cargo : 554

aircraft)

Packing instruction (LQ) : Y540
Packing group : II

Labels : Oxidizer, Corrosive

IATA (Passenger)

Packing instruction (passen- : 550

ger aircraft)

Packing instruction (LQ) : Y540 Packing group : II

Labels : Oxidizer, Corrosive

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the fol-

lowing entries should be considered:

Number on list 3

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

Not applicable

The Persistent Organic Pollutants Regulations (retained

Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

Not applicable

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Version Revision Date: Date of last issue: 06.06.2019

06.00 28.04.2023

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

: Not applicable

Regulation (EU) 2019/1148 on the marketing and use of :

explosives precursors

hydrogen peroxide

UK REACH List of substances subject to authorisation : Not applicable

(Annex XIV)

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 5.43 %

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

Exempt

SECTION 16: Other information

Full text of H-Statements

H226 : Flammable liquid and vapour. H242 : Heating may cause a fire.

H271 : May cause fire or explosion; strong oxidizer.

H301 : Toxic if swallowed. H302 : Harmful if swallowed.

H312 : Harmful in contact with skin.

H314 : Causes severe skin burns and eye damage.

H318 : Causes serious eye damage.

H330 : Fatal if inhaled. H332 : Harmful if inhaled.

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Version Revision Date: Date of last issue: 06.06.2019

06.00 28.04.2023

H335 : May cause respiratory irritation.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.
 H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage Flam. Liq. : Flammable liquids Org. Perox. : Organic peroxides Ox. Liq. : Oxidizing liquids Skin Corr. : Skin corrosion

STOT SE : Specific target organ toxicity - single exposure

2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a

fourth list of indicative occupational exposure limit values

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

2017/164/EU / STEL : Short term exposure limit 2017/164/EU / TWA : Limit Value - eight hours

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



thermosept® PAA base No Change Service!

Version Revision Date: Date of last issue: 06.06.2019

06.00 28.04.2023

Further information

Classification of the mixture:		Classification procedure:	
Ox. Liq. 2	H272	Based on product data or assessment	
Met. Corr. 1	H290	Based on product data or assessment	
Acute Tox. 4	H302	Calculation method	
Acute Tox. 4	H332	Calculation method	
Skin Corr. 1A	H314	Calculation method	
Eye Dam. 1	H318	Calculation method	
STOT SE 3	H335	Calculation method	
Aquatic Chronic 1	H410	Calculation method	

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.