



2% CHG + Isopropyl alcohol based skin antiseptic

MICROSHIELD® Tincture 2

Our Plus

- Broad spectrum activity against gram +ve and gram -ve bacteria, fungi and viruses.
- Fast acting

Application area

For Pre-Surgical and Post-Surgical Skin

Instructions for use

- Use undiluted
- Swab Skin to visibly wet area to be treated
- Leave for 2 minutes. Allow to dry.
- Solution is not for ophthalmic, bladder and peritoneal usage.
- MICROSHIELD® Tincture 2 must not come in contact with brain, meninges, middle ear or syringes and needles to be used for spinal injections.
- Do not mix with detergents or other chemicals.
- Keep out of eyes.
- Keep out of reach of children.
- Contraindicated in case of known hypersensitivity to chlorhexidine.

Product data

Composition:

- Chlorhexidine Gluconate Solution IP 10 % v/v (equivalent to Chlorhexidine Gluconate 2 % w/v)
- Isopropyl Alcohol IP 70% v/v

schülke Headquarters

Schülke & Mayr GmbH
Robert-Koch-Straße 2
22851 Norderstedt | Germany
Phone +49 40 52100582
www.schuelke.com
info@schuelke.com

Schulke India Pvt. Ltd.

Office # 603, A Wing, Delphi,
Orchard Avenue, Hiranandani
Business Park, Powai, Mumbai
400 076 Maharashtra | India
Phone 022-61736600
www.schuelke.com
india.office@schuelke.com

Special advice

ALWAYS READ THE LABEL AND USE AS DIRECTED

- For external use only. Do not swallow.
- Flammable. Keep away from fire or flame.
- Avoid contact with eyes. In case of eyes contact, immediately flush with water.
- Discontinue use if skin irritation or redness develops.
- Do not mix with other detergents or chemicals.
- Do not use after the expiry date.
- Contradicted in case of known hypersensitivity to chlorhexidine.

Information for order

Item	Delivery form	Item no.
Microshield Tincture 2 - 100 ml	1	70002447
Microshield Tincture 2 - 500 ml	1	70002448

Environmental information

schulke products are manufactured with advanced, safe and environmentally friendly production processes while always maintaining high quality standards



Schülke & Mayr GmbH holds a Manufacturer's Authorisation according to sect 13 para 1 German Drug Law and Certificates of GMP Compliance for medicinal products.