schülke -1-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

gigazyme® No Change Service!

Version Revision Date: Date of last issue: 25.03.2021

05.09 03.10.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name gigazyme®

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

Cleaning agent

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Producer Schülke & Mayr GmbH

Robert-Koch-Str. 2

22851 Norderstedt

Germany

Telephone: +49 (0)40/ 52100-0 Telefax: +49 (0)40/ 52100318

mail@schuelke.com www.schuelke.com

: Schülke & Mayr UK Ltd. Supplier

Cygnet House

1, Jenkin Road, Meadowhall

Sheffield S9 1AT United Kingdom

Telephone: +44 114 254 35 00 Telefax: +44 114 254 35 01 mail.uk@schulke.com

E-mail address of person responsible for the

SDS/Contact person

: Application Department +49 (0)40/521 00 666 AD@schuelke.com

(Schülke & Mayr UK Ltd.: +44-1142543500)

1.4 Emergency telephone number

Emergency telephone num-UK Poisons Emergency number: 0870 600 6266 ber

Carechem 24 International:+44 1235 239670

**SECTION 2: Hazards identification** 

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Eye irritation, Category 2 H319: Causes serious eye irritation.

schülke -}

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

gigazyme® No Change Service!

Version Revision Date: Date of last issue: 25.03.2021

05.09 03.10.2021

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :

Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

# **Additional Labelling**

The product is classified in accordance with Annex I (2.6.4.5) to Regulation (EC) 1272/2008.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Solution of the following substances with harmless additives.

# Components

| Chemical name                       | CAS-No.             | Classification     | Concentration |
|-------------------------------------|---------------------|--------------------|---------------|
|                                     | EC-No.              |                    | (% w/w)       |
|                                     | Index-No.           |                    |               |
|                                     | Registration number |                    |               |
| ethanol                             | 64-17-5             | Flam. Liq. 2; H225 | >= 1 - < 10   |
|                                     | 200-578-6           | Eye Irrit. 2; H319 |               |
|                                     | 603-002-00-5        |                    |               |
|                                     | 01-2119457610-43-   |                    |               |
|                                     | XXXX                |                    |               |
| Alcohols, C13-15-branched and line- | 111905-53-4         | Acute Tox. 4; H302 | >= 2.5 - < 10 |
| ar, butoxylated ethoxylated         |                     | Eye Irrit. 2; H319 |               |



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**gigazyme**® No Change Service!

Version Revision Date: Date of last issue: 25.03.2021

05.09 03.10.2021

|  |                               | Aquatic Chronic 3;<br>H412  |               |
|--|-------------------------------|---|---------------|
| Alkyl-polyethylenglycol-<br>polybutylenglycolether | Not Assigned                  | Skin Irrit. 2; H315 Aquatic Acute 1; H400 Aquatic Chronic 3; H412 M-Factor (Acute | >= 2.5 - < 10 |
|  |                               | aquatic toxicity): 1  |               |
| sodium p-cumenesulphonate                          | 15763-76-5<br>239-854-6       | Eye Irrit. 2; H319  | >= 1 - < 10   |
|  | <br>01-2119489411-37-<br>XXXX |   |               |

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : Take off contaminated clothing and shoes immediately.

If inhaled : If symptoms persist, call a physician.

In case of skin contact : Wash with water and soap as a precaution.

If symptoms persist, call a physician.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

If swallowed : Do NOT induce vomiting.

Drink water as a precaution. Consult a physician if necessary.

# 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Treat symptomatically.

Risks : Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media : Dry powder

Carbon dioxide (CO2)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



gigazyme® No Change Service!

Version Revision Date: Date of last issue: 25.03.2021

05.09 03.10.2021

Water spray jet

Foam

Unsuitable extinguishing

media

Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

No information available.

Hazardous combustion prod: :

No hazardous combustion products are known

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

**SECTION 6: Accidental release measures** 

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Avoid subsoil penetration.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Wipe up with absorbent material (e.g. cloth, fleece).

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

6.4 Reference to other sections

see Section 8 + 13

**SECTION 7: Handling and storage** 

7.1 Precautions for safe handling

Use prepared working solution as soon as possible - Do not Advice on safe handling

store.

Advice on protection against :

fire and explosion

No special protective measures against fire required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Store at room temperature in the original container. Do not

store at temperatures above 30°C.

Further information on stor-

age conditions

Keep away from heat. Keep away from direct sunlight. Keep

container tightly closed. Recommended storage temperature:

Z11321 ZSDB\_P\_GB EN

Page 4/20



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**gigazyme**® No Change Service!

Version Revision Date: Date of last issue: 25.03.2021

05.09 03.10.2021

-5 - 25°C

Advice on common storage : No materials to be especially mentioned.

7.3 Specific end use(s)

Specific use(s) : none

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

## **Occupational Exposure Limits**

| Components | CAS-No.   | Value type (Form | Control parameters | Basis   |
|------------|---|------------------|--------------------|---------|
|            |   | of exposure)     |                    |         |
| ethanol    | 64-17-5   | TWA              | 1,000 ppm          | GB EH40 |
|            |   |                  | 1,920 mg/m3        |         |
|            | Further information: Where no specific short-term exposure limit is listed, a |                  |                    |         |
|            | figure three times the long-term exposure limit should be used.               |                  |                    |         |

# **Derived No Effect Level (DNEL):**

| Substance name                | End Use | Exposure routes | Potential health ef-         | Value        |
|-------------------------------|---------|-----------------|------------------------------|--------------|
|                               |         |                 | fects                        |              |
| ethanol                       | Workers | Inhalation      | Acute local effects          | 1900 mg/m3   |
|                               | Workers | Skin contact    | Long-term systemic effects   | 343 mg/kg    |
|                               | Workers | Inhalation      | Long-term systemic effects   | 950 mg/m3    |
| sodium p-<br>cumenesulphonate | Workers | Skin contact    | Long-term systemic effects   | 136.25 mg/kg |
|                               | Workers | Skin contact    | Long-term local ef-<br>fects | 0.096 mg/cm2 |
|                               | Workers | Inhalation      | Long-term systemic effects   | 26.9 mg/m3   |

## **Predicted No Effect Concentration (PNEC):**

| Substance name            | Environmental Compartment | Value        |
|---------------------------|---------------------------|--------------|
| ethanol                   | Fresh water               | 0.96 mg/l    |
|                           | Marine water              | 0.79 mg/l    |
|                           | Fresh water sediment      | 3.6 mg/kg    |
|                           | Soil                      | 0.63 mg/kg   |
|                           | Marine sediment           | 2.9 mg/kg    |
|                           | Sewage treatment plant    | 580 mg/l     |
| sodium p-cumenesulphonate | Fresh water               | 0.23 mg/l    |
|                           | Marine water              | 0.023 mg/l   |
|                           | Intermittent use/release  | 2.3 mg/l     |
|                           | Sewage treatment plant    | 100 mg/l     |
|                           | Fresh water sediment      | 0.862 mg/kg  |
|                           | Marine sediment           | 0.0862 mg/kg |
|                           | Soil                      | 0.037 mg/kg  |

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



**gigazyme**® No Change Service!

Version Revision Date: Date of last issue: 25.03.2021

05.09 03.10.2021

#### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : If splashes are likely to occur, wear:

Safety glasses with side-shields conforming to EN166

Hand protection

Directive : The selected protective gloves have to satisfy the specifica-

tions of Regulation (EU) 2016/425 and the standard EN 374

derived from it.

Remarks : Prolonged contact: Nitrile rubber gloves e.g. Camatril (>480

Min., layer thickness: 0,40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0,70 mm) made by KCL or gloves from other manufacturers offering the same protection. Splash protection: disposable nitrile rubber gloves e.g. Dermatril (layer thickness: 0.11 mm) made by KCL or gloves from other manufacturers offering the same protection.

Skin and body protection : Work uniform or laboratory coat.

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Protective measures : Avoid contact with eyes.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : blue

Odour : alcohol-like

Odour Threshold : not determined

pH : 7 (20 °C)

Concentration: 100 %

Melting point/freezing point : < -5 °C

Decomposition temperature Not applicable

Boiling point/boiling range : ca. 90 °C

Flash point : 43 °C

Method: DIN 51755 Part 1

Evaporation rate : No data available

Upper explosion limit / Upper

flammability limit

Not applicable



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

gigazyme® No Change Service!

Version Revision Date: Date of last issue: 25.03.2021

05.09 03.10.2021

Lower explosion limit / Lower :

flammability limit

Not applicable

Vapour pressure : ca. 50 hPa (20 °C)

Relative vapour density : No data available

Density : ca. 1.00 g/cm3 (20 °C)

Solubility(ies)

Water solubility :  $> 100 \text{ g/l} (20 ^{\circ}\text{C})$ 

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : Not applicable

Flow time : < 15 s at 20 °C

Method: DIN 53211

Explosive properties : No data available

Oxidizing properties : No data available

9.2 Other information

Flammability (liquids) : Does not sustain combustion.

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : None reasonably foreseeable.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Never mix concentrates directly.

#### 10.6 Hazardous decomposition products

None reasonably foreseeable.

schülke -}

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**gigazyme**® No Change Service!

Version Revision Date: Date of last issue: 25.03.2021

05.09 03.10.2021

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

## **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

## **Components:**

ethanol:

Acute oral toxicity : LD50 (Mouse): 8,300 mg/kg

Acute inhalation toxicity : LC50 (Mouse): 39 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 20,000 mg/kg

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Alkyl-polyethylenglycol-polybutylenglycolether:

Acute oral toxicity : LD50 (Rat): > 2,000 - 5,000 mg/kg

Acute inhalation toxicity : Remarks: not determined

Acute dermal toxicity : Remarks: not determined

sodium p-cumenesulphonate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

schülke ->

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**gigazyme**® No Change Service!

Version Revision Date: Date of last issue: 25.03.2021

05.09 03.10.2021

#### **Components:**

ethanol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

## Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Mild skin irritation

#### Alkyl-polyethylenglycol-polybutylenglycolether:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

#### sodium p-cumenesulphonate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : slight irritation

Remarks : Based on available data, the classification criteria are not met.

# Serious eye damage/eye irritation

Causes serious eye irritation.

#### **Components:**

ethanol:

Method : OECD Test Guideline 405

Result : Eye irritation

# Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Eye irritation

# Alkyl-polyethylenglycol-polybutylenglycolether:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

# sodium p-cumenesulphonate:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Eye irritation



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

gigazyme® No Change Service!

Version Revision Date: Date of last issue: 25.03.2021

05.09 03.10.2021

## Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

# **Components:**

#### ethanol:

Test Type **Maximisation Test** 

Species : Guinea pig

**OECD Test Guideline 406** Method

Result Did not cause sensitisation on laboratory animals.

## Alkyl-polyethylenglycol-polybutylenglycolether:

Remarks No data available

## sodium p-cumenesulphonate:

Test Type **Buehler Test** Species Guinea pig

Method **OECD Test Guideline 406** 

Result Did not cause sensitisation on laboratory animals.

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

#### ethanol:

Genotoxicity in vitro Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471 Result: Not mutagenic in Ames Test

Genotoxicity in vivo : Result: Non mutagenic

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

#### Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

: Test Type: Microbial mutagenesis assay (Ames test) Genotoxicity in vitro

Result: negative

sessment

Germ cell mutagenicity- As- : Not mutagenic in Ames Test

# Alkyl-polyethylenglycol-polybutylenglycolether:

Germ cell mutagenicity- As- : Experiments showed mutagenic effects in cultured bacterial

cells., Based on data from similar materials sessment

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



**gigazyme**® No Change Service!

Version Revision Date: Date of last issue: 25.03.2021

05.09 03.10.2021

II

sodium p-cumenesulphonate:

Genotoxicity in vitro : Test Type: Mutagenicity (Salmonella typhimurium - reverse

mutation assay)

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471 Result: Not mutagenic in Ames Test

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Application Route: Oral Result: Non mutagenic

Germ cell mutagenicity- As- :

sessment

: Not mutagenic in Ames Test

#### Carcinogenicity

Not classified based on available information.

#### **Components:**

ethanol:

Carcinogenicity - Assess-

Did not show carcinogenic effects in animal experiments.

ment

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Carcinogenicity - Assess- : No data available

ment

Alkyl-polyethylenglycol-polybutylenglycolether:

Carcinogenicity - Assess- : No data available

ment

sodium p-cumenesulphonate:

Species : Rat Exposure time : 2 Years

Method : OECD Test Guideline 453
Result : no increase in tumors observed

Carcinogenicity - Assess- : Animal testing did not show any carcinogenic effects.

ment

Reproductive toxicity

Not classified based on available information.

Components:

ethanol:

Effects on foetal develop- : Species: Rat

ment Application Route: Oral

General Toxicity Maternal: NOAEL: 2,000 mg/kg body weight

Z11321 ZSDB\_P\_GB EN

Page 11/20



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

gigazyme® No Change Service!

Version Revision Date: Date of last issue: 25.03.2021

05.09 03.10.2021

Reproductive toxicity - Assessment

: Animal experiments showed mutagenic and teratogenic ef-

fects

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Reproductive toxicity - As- :

No data available

sessment

Alkyl-polyethylenglycol-polybutylenglycolether:

Reproductive toxicity - As-

No data available

sessment

sodium p-cumenesulphonate:

Effects on fertility : Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: 300 mg/kg bw/day General Toxicity F1: NOAEL: 1,000 mg/kg bw/day

Method: OECD Test Guideline 421

Effects on foetal develop-

ment

Species: Rat Application Route: Oral

General Toxicity Maternal: NOAEL: 936 mg/kg body weight

Teratogenicity: NOAEL: 936 mg/kg bw/day

Reproductive toxicity - As-

sessment

: study scientifically unjustified

STOT - single exposure

Not classified based on available information.

**Components:** 

ethanol:

Remarks : No data available

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Remarks : No data available

Alkyl-polyethylenglycol-polybutylenglycolether:

Remarks : No data available

sodium p-cumenesulphonate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Not classified based on available information.

schülke -}

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**gigazyme**® No Change Service!

Version Revision Date: Date of last issue: 25.03.2021

05.09 03.10.2021

**Components:** 

ethanol:

Remarks : No data available

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Remarks : Not classified due to data which are conclusive although insuf-

ficient for classification.

Alkyl-polyethylenglycol-polybutylenglycolether:

Remarks : No data available

sodium p-cumenesulphonate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

**Components:** 

ethanol:

Species : Rat

NOAEL : 1,730 mg/kg LOAEL : 3,160 mg/kg

Application Route : Oral Exposure time : 90 d

sodium p-cumenesulphonate:

Species : Rat NOAEL : 763 mg/kg

Application Route : Oral

Target Organs : Cardio-vascular system Remarks : Subchronic toxicity

Species : Rat

NOAEL : 60 mg/kg

Application Route : Dermal

Exposure time : 2 year

Method : OECD Test Guideline 453

Target Organs : Skin

**Aspiration toxicity** 

Not classified based on available information.

**Further information** 

**Product:** 

Remarks : The product has not been tested.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



gigazyme® No Change Service!

Version Revision Date: Date of last issue: 25.03.2021

05.09 03.10.2021

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

ethanol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 8,140 mg/l

Exposure time: 48 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 5,000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

IC50 (Scenedesmus quadricauda (Green algae)): > 100 mg/l

Exposure time: 72 h

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Toxicity to fish : LC50 (Leuciscus idus): > 1 - 10 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h Test Type: semi-static test

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: > 0.1 - 1 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202

Alkyl-polyethylenglycol-polybutylenglycolether:

Toxicity to fish : LC50 (Leuciscus idus): > 1 - 10 mg/l

Exposure time: 96 h Method: DIN 38412

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna): > 0.1 - 1 mg/l

Exposure time: 48 h

Remarks: The toxicological data has been taken from prod-

ucts of similar composition.

Toxicity to algae/aquatic

plants

EC50 (Scenedesmus capricornutum (fresh water algae)): 0.4 -

1 mg/l

Exposure time: 96 h

Remarks: The toxicological data has been taken from prod-

ucts of similar composition.

NOEC (Scenedesmus capricornutum (fresh water algae)):

0.101 mg/l

Exposure time: 96 h

Remarks: The toxicological data has been taken from prod-

ucts of similar composition.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**gigazyme**® No Change Service!

Version Revision Date: Date of last issue: 25.03.2021

05.09 03.10.2021

M-Factor (Acute aquatic tox- : 1

icity)

Toxicity to fish (Chronic tox-

icity)

Remarks: No data available

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

Remarks: No data available

sodium p-cumenesulphonate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

12.2 Persistence and degradability

**Product:** 

Biodegradability : Result: Readily biodegradable.

Method: OECD 301D / EEC 84/449 C6

**Components:** 

ethanol:

Biodegradability : Test Type: aerobic

Result: Readily biodegradable. Biodegradation: > 70 %

Exposure time: 5 d

Method: OECD 301D / EEC 84/449 C6

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 60 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Alkyl-polyethylenglycol-polybutylenglycolether:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 60 % Exposure time: 28 d

Method: OECD 301B/ ISO 9439/ EEC 84/449 C5

sodium p-cumenesulphonate:

Biodegradability : Test Type: aerobic

Result: Readily biodegradable.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

gigazyme® No Change Service!

Version Revision Date: Date of last issue: 25.03.2021

05.09 03.10.2021

> Biodegradation: > 60 % Exposure time: 28 d

Method: OECD Test Guideline 301B

#### 12.3 Bioaccumulative potential

# **Components:**

ethanol:

Bioaccumulation Remarks: Bioaccumulation is unlikely.

Partition coefficient: nlog Pow: -0.14

octanol/water Method: Calculated value

Alkyl-polyethylenglycol-polybutylenglycolether:

Bioaccumulation Remarks: Accumulation in aquatic organisms is unlikely.

sodium p-cumenesulphonate:

Bioaccumulation Remarks: Bioaccumulation is unlikely.

12.4 Mobility in soil

Components:

ethanol:

Remarks: No data available Mobility

sodium p-cumenesulphonate:

Mobility Remarks: Not expected to adsorb on soil.

12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment This substance/mixture contains no components considered

> to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

**Product:** 

mation

Additional ecological infor- : No data is available on the product itself.

**SECTION 13: Disposal considerations** 

13.1 Waste treatment methods

Product Disposal together with normal waste is not allowed. Special

Z11321 ZSDB\_P\_GB EN

Page 16/20

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



gigazyme® No Change Service!

Version **Revision Date:** Date of last issue: 25.03.2021

05.09 03.10.2021

disposal required according to local regulations.

Contaminated packaging Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

# **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

## 14.2 UN proper shipping name

Not regulated as a dangerous good

## 14.3 Transport hazard class(es)

Not regulated as a dangerous good

# 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 3

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

UK REACH List of substances subject to authorisation

(Annex XIV)

Not applicable

schülke ->

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

gigazyme® No Change Service!

Version Revision Date: Date of last issue: 25.03.2021

05.09 03.10.2021

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 19 %

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

Alkyl-polyethylenglycol-polybutylenglycolether

sodium p-cumenesulphonate

(Z)-3-methyl-5-phenylpent-2-enenitrile (E)-3-methyl-5-phenylpent-2-enenitrile

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

#### 15.2 Chemical safety assessment

Exempt

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H225 : Highly flammable liquid and vapour.

H302 : Harmful if swallowed.
H315 : Causes skin irritation.
H319 : Causes serious eye irritation.
H400 : Very toxic to aquatic life.

H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**gigazyme**® No Change Service!

Version Revision Date: Date of last issue: 25.03.2021

05.09 03.10.2021

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids
Skin Irrit. : Skin irritation

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture:

Classification procedure:

Eye Irrit. 2 H319 Calculation method

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

gigazyme® No Change Service!

Version Revision Date: Date of last issue: 25.03.2021

05.09 03.10.2021

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.