

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : quartasept® plus

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Disinfectants and general biocidal products

Recommended restrictions
on use : Use by spraying, Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Producer : Schülke & Mayr GmbH
Robert-Koch-Str. 2

22851 Norderstedt
Germany
Telephone: +49 (0)40/ 52100-0
Telefax: +49 (0)40/ 52100318
mail@schuelke.com
www.schuelke.com

Supplier : Schülke & Mayr UK Ltd.
Cygnet House
1, Jenkin Road

Sheffield S9 1AT
United Kingdom
Telephone: +44 114 254 35 00
Telefax: +44 114 254 35 01
mail.uk@schulke.com

E-mail address of person
responsible for the
SDS/Contact person : Application Specialists
+49 (0)40/ 521 00 666
AD@schuelke.com

1.4 Emergency telephone number

Emergency telephone num-
ber : Carechem 24 International: +44 1235 239670

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK
SI 2019/720, and UK SI 2020/1567)**

Corrosive to metals, Category 1
Acute toxicity, Category 4

H290: May be corrosive to metals.
H302: Harmful if swallowed.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

Skin corrosion, Sub-category 1B
Serious eye damage, Category 1
Short-term (acute) aquatic hazard, Category 1
Long-term (chronic) aquatic hazard, Category 2

H314: Causes severe skin burns and eye damage.
H318: Causes serious eye damage.
H400: Very toxic to aquatic life.
H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :



Signal word : Danger

Hazard statements :
H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P273 Avoid release to the environment.
P280 Wear protective gloves (e.g. butyl rubber) /protective clothing/eye protection/face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

didecyldimethylammonium chloride
Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

Additional Labelling

The product is classified in accordance with Annex I (2.6.4.5) to Regulation (EC) 1272/2008.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Solution of the following substances with harmless additives.

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
didecyldimethylammonium chloride	7173-51-5 230-525-2 612-131-00-6 01-2119945987-15-XXXX	Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 5 - < 10
propan-2-ol	67-63-0 200-661-7 603-117-00-0 01-2119457558-25-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system)	>= 1 - < 10
Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched	69011-36-5 500-241-6 --- ---	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412 specific concentration limit Eye Dam. 1; H318 > 10 % Eye Irrit. 2; H319 > 1 - < 10 %	>= 2.5 - < 3
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9 219-145-8 --- 01-2119980592-29-XXXX	Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT RE 2; H373 (Kidney) Aquatic Acute 1; H400	>= 1 - < 2.5

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

		Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	
N-dodecylpropane-1,3-diamine	5538-95-4 226-902-6 --- ---	Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 M-Factor (Acute aquatic toxicity): 1	>= 0.1 - < 0.25
dodecylamine	124-22-1 204-690-6 --- ---	Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory sys- tem) STOT RE 2; H373 (Gastro-intestinal system, Liver, Im- mune system) Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute aquatic toxicity): 10	>= 0.0025 - < 0.025

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Take off all contaminated clothing immediately.

If inhaled : Move the victim to fresh air.
If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with plenty of water for at least 15
minutes.
Consult a physician.

In case of eye contact : In case of eye contact, remove contact lens and rinse imme-
diately with plenty of water, also under the eyelids, for at least
15 minutes.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

Call a physician immediately.

If swallowed : Do NOT induce vomiting.
Clean mouth with water and drink afterwards plenty of water.
Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : corrosive effects

Risks : Harmful if swallowed.
Causes serious eye damage.
Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons
Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray jet
Dry powder
Foam
Carbon dioxide (CO₂)

Unsuitable extinguishing media : Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Increased risk of slipping in the presence of leaked / spilled product.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Soak up with inert absorbent material (e.g. sand, silica gel,
acid binder, universal binder, sawdust).

6.4 Reference to other sections

see Section 8 + 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.
Ensure adequate ventilation.
Advice on protection against fire and explosion : No special protective measures against fire required.
Hygiene measures : Keep away from food and drink.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store at room temperature in the original container.
Further information on storage conditions : Keep away from heat. Keep away from direct sunlight. Keep container tightly closed.
Advice on common storage : Do not store near acids.

7.3 Specific end use(s)

Specific use(s) : none

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propan-2-ol	67-63-0	TWA	400 ppm 999 mg/m ³	GB EH40
		STEL	500 ppm 1,250 mg/m ³	GB EH40

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
didecyl-dimethylammonium chloride	Workers	Inhalation	Acute systemic effects, Long-term systemic effects	5.39 mg/m ³
	Workers	Dermal	Acute systemic ef-	1.55 mg/kg

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus No Change Service!

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

			fects, Long-term systemic effects	
propan-2-ol	Workers	Skin contact	Long-term systemic effects	888 mg/kg
	Workers	Inhalation	Long-term systemic effects	500 mg/m3
Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched	Workers	Inhalation	Long-term systemic effects	294 mg/m3
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	Workers	Inhalation	Long-term systemic effects	2.35 mg/m3
	Workers	Skin contact	Long-term systemic effects	0.91 mg/kg

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
didecyltrimethylammonium chloride	Fresh water	0.002 mg/l
	Marine water	0.0002 mg/l
	Fresh water sediment	2.82 mg/kg
	Marine sediment	0.28 mg/kg
	Sewage treatment plant	0.595 mg/l
	Soil	1.4 mg/kg
propan-2-ol	Fresh water	140.9 mg/l
	Marine water	140.9 mg/l
	Fresh water sediment	552 mg/kg
	Marine sediment	552 mg/kg
	Soil	28 mg/kg
	Intermittent use/release	140.9 mg/l
	Effects on waste water treatment plants	2251 mg/l
Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched	Oral	160 mg/kg food
	Fresh water	0.074 mg/l
	Marine water	0.0074 mg/l
	Intermittent use/release	0.015 mg/l
	Sewage treatment plant	1.4 mg/l
	Soil	0.1 mg/kg
	Fresh water sediment	0.604 mg/kg
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	Marine sediment	0.0604 mg/kg
	Fresh water	0.001 mg/l
	Marine water	0.0001 mg/l
	Fresh water sediment	8.5 mg/kg
	Marine sediment	0.85 mg/kg
	Soil	45.34 mg/kg
	Sewage treatment plant	1.33 mg/l

8.2 Exposure controls

Engineering measures

Ensure that eyewash stations and safety showers are close to the workstation location.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

Personal protective equipment

Eye/face protection	: Safety glasses with side-shields conforming to EN166
Hand protection	
Directive	: The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Remarks	: Splash protection: disposable nitrile rubber gloves e.g. Dermatril (layer thickness: 0.11 mm) made by KCL or gloves from other manufacturers offering the same protection. Prolonged contact: Nitrile rubber gloves e.g. Camatril (>480 Min., layer thickness: 0,40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0,70 mm) made by KCL or gloves from other manufacturers offering the same protection.
Skin and body protection	: Choose body protection according to the amount and concentration of the dangerous substance at the work place. Chemical resistant apron
Respiratory protection	: Not required; except in case of aerosol formation. Half mask with a particle filter P2 (EN 143)
Protective measures	: Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: nearly colourless
Odour	: characteristic
Odour Threshold	: not determined
pH	: 9 (20 °C) Concentration: 100 %
Melting point/freezing point	: < -5 °C
Decomposition temperature	Not applicable
Boiling point/boiling range	: ca. 90 °C
Flash point	: 49 °C Method: DIN 51755 Part 1
Evaporation rate	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Relative vapour density	: No data available
Density	: ca. 0.98 g/cm ³ (20 °C)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

Solubility(ies)	
Water solubility	: completely soluble (20 °C)
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Viscosity	
Viscosity, dynamic	: ca. 23 mPa*s (20 °C) Method: ISO 3219
Viscosity, kinematic	: not determined
Explosive properties	: No data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids)	: Does not sustain combustion.
Metal corrosion rate	: > 6.25 mm/a Corrosive to metals Aluminium and Mild steel
Self-ignition	: No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : None reasonably foreseeable.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Strong acids

10.6 Hazardous decomposition products

None reasonably foreseeable.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,850 mg/kg
Method: Calculation method

Components:

didecyldimethylammonium chloride:

Acute oral toxicity : LD50 (Rat): 238 mg/kg
Method: OECD Test Guideline 401
Assessment: Toxic if swallowed.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): 3,342 mg/kg

propan-2-ol:

Acute oral toxicity : LD50 (Rat): 5,840 mg/kg

Acute inhalation toxicity : LC50 (Rat): 39 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 13,900 mg/kg
Method: OECD Test Guideline 402

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-omega.-hydroxy-, branched:

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50: > 5,000 mg/kg
Method: literature value

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine:

Acute oral toxicity : LD50 Oral (Rat): 261 mg/kg
Method: OECD Test Guideline 401
Assessment: Toxic if swallowed.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 600 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

||

N-dodecylpropane-1,3-diamine:

|| Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

dodecylamine:

|| Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401

Skin corrosion/irritation

Causes severe burns.

Components:

didecyldimethylammonium chloride:

|| Species : Rabbit
|| Exposure time : 4 h
|| Method : OECD Test Guideline 404
|| Result : Corrosive after 3 minutes to 1 hour of exposure

propan-2-ol:

|| Result : No skin irritation

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched:

|| Species : Rabbit
|| Method : OECD Test Guideline 404
|| Result : No skin irritation

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine:

|| Result : Corrosive after 3 minutes to 1 hour of exposure

N-dodecylpropane-1,3-diamine:

|| Result : Corrosive after 3 minutes or less of exposure

dodecylamine:

|| Species : Rabbit
|| Method : OECD Test Guideline 404
|| Result : Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

didecyldimethylammonium chloride:

|| Result : Irreversible effects on the eye

propan-2-ol:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

|| Result : Eye irritation

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched:

|| Species : Rabbit
|| Method : Draize Test
|| Result : Irreversible effects on the eye

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine:

|| Result : Irreversible effects on the eye

N-dodecylpropane-1,3-diamine:

|| Result : Irreversible effects on the eye

dodecylamine:

|| Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

didecyldimethylammonium chloride:

|| Test Type : Buehler Test
|| Species : Guinea pig
|| Method : OECD Test Guideline 406
|| Result : Did not cause sensitisation on laboratory animals.
|| GLP : yes

propan-2-ol:

|| Test Type : Buehler Test
|| Species : Guinea pig
|| Result : Did not cause sensitisation on laboratory animals.

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched:

|| Test Type : Maximisation Test
|| Species : Guinea pig
|| Result : Did not cause sensitisation on laboratory animals.

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine:

|| Test Type : Buehler Test
|| Species : Guinea pig
|| Result : Did not cause sensitisation on laboratory animals.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

N-dodecylpropane-1,3-diamine:

||Remarks : No data available

dodecylamine:

||Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Components:

didecyldimethylammonium chloride:

||Genotoxicity in vitro : Test system: Salmonella typhimurium
Metabolic activation: Metabolic activation
Method: OECD Test Guideline 471
Result: Not mutagenic in Ames Test

||Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow
cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 475
Result: negative

||Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

propan-2-ol:

||Genotoxicity in vitro : Test Type: Ames test
Method: Mutagenicity (Escherichia coli - reverse mutation
assay)
Result: Non mutagenic

||Genotoxicity in vivo : Species: Mouse
Method: Mutagenicity (micronucleus test)
Result: Non mutagenic

||Germ cell mutagenicity- Assessment : Not mutagenic in Ames Test

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-omega-hydroxy-, branched:

||Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Result: negative

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine:

||Genotoxicity in vitro : Test Type: reverse mutation assay
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

Germ cell mutagenicity- Assessment : Not mutagenic in Ames Test

N-dodecylpropane-1,3-diamine:

Germ cell mutagenicity- Assessment : No data available

dodecylamine:

Germ cell mutagenicity- Assessment : No data available

Carcinogenicity

Not classified based on available information.

Components:

didcyldimethylammonium chloride:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

propan-2-ol:

Remarks : Based on available data, the classification criteria are not met.

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched:

Remarks : This information is not available.

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine:

Species : Rat
Application Route : Oral
Dose : 4 - 8 - 20 mg/kg body weight
NOAEL : 4 mg/kg bw/day
LOAEL : 8 mg/kg body weight
Method : OECD Test Guideline 453
GLP : yes
Remarks : Animal testing did not show any carcinogenic effects.

N-dodecylpropane-1,3-diamine:

Carcinogenicity - Assessment : No data available

dodecylamine:

Carcinogenicity - Assessment : No data available

Reproductive toxicity

Not classified based on available information.

Components:

didcyldimethylammonium chloride:

Reproductive toxicity - Assessment : No data available

propan-2-ol:

Effects on foetal development : Species: Rat

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

ment

Application Route: Oral

General Toxicity Maternal: NOAEL: 400 mg/kg body weight

Reproductive toxicity - Assessment

: Based on available data, the classification criteria are not met.

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-omega-hydroxy-, branched:

Effects on fertility

: Remarks: Animal testing did not show any effects on fertility.

Effects on foetal development

: Remarks: No effects on fertility and early embryonic development were detected.

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine:

Reproductive toxicity - Assessment

: Did not show teratogenic effects in animal experiments.

N-dodecylpropane-1,3-diamine:

Reproductive toxicity - Assessment

: No data available

dodecylamine:

Reproductive toxicity - Assessment

: No data available

STOT - single exposure

Not classified based on available information.

Components:

didecyldimethylammonium chloride:

Remarks

: No data available

propan-2-ol:

Assessment

: May cause drowsiness or dizziness.

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-omega-hydroxy-, branched:

Remarks

: No data available

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine:

Remarks

: No data available

N-dodecylpropane-1,3-diamine:

Remarks

: No data available

dodecylamine:

Assessment

: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT - repeated exposure

Not classified based on available information.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

Components:

didecyldimethylammonium chloride:

||Remarks : No data available

propan-2-ol:

||Remarks : Based on available data, the classification criteria are not met.

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-omega.-hydroxy-, branched:

||Remarks : No data available

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine:

||Target Organs : Kidney
||Assessment : May cause damage to organs through prolonged or repeated exposure.

N-dodecylpropane-1,3-diamine:

||Remarks : No data available

dodecylamine:

||Target Organs : Gastro-intestinal system, Liver, Immune system
||Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

didecyldimethylammonium chloride:

||Remarks : No data available

propan-2-ol:

||Remarks : No data available

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-omega.-hydroxy-, branched:

||Species : Rat
||NOAEL : 50 mg/kg
||Application Route : Oral
||Exposure time : 2 yr
||Target Organs : Heart, Liver, Kidney

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine:

||Species : Rat
||NOAEL : 4 mg/kg
||LOAEL : 8 mg/kg
||Application Route : Oral
||Dose : 4 - 8 - 20 mg/kg
||Method : OECD Test Guideline 453

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke -+

quartasept® plus **No Change Service!**

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

|| GLP : yes

|| Species : Rat
|| NOAEL : 9 mg/kg
|| Application Route : Oral
|| Exposure time : 90-day
|| Method : OECD Test Guideline 408

N-dodecylpropane-1,3-diamine:

|| Remarks : No data available

dodecylamine:

|| Remarks : No data available

Aspiration toxicity

Not classified based on available information.

Components:

dodecylamine:

|| May be fatal if swallowed and enters airways.

Further information

Product:

Remarks : No data is available on the product itself.

SECTION 12: Ecological information

12.1 Toxicity

Components:

didecyldimethylammonium chloride:

|| Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.19 mg/l
Exposure time: 96 h
GLP: yes

|| Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.062 mg/l
Exposure time: 48 h
GLP: yes

|| Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.026 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201
GLP: yes

|| M-Factor (Acute aquatic toxicity) : 10

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

Toxicity to fish (Chronic toxicity)	: NOEC: 0.032 mg/l Exposure time: 34 d Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0.014 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: Expert judgement and weight of evidence determination.
M-Factor (Chronic aquatic toxicity)	: 1

propan-2-ol:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 10,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Test Type: static test EC50 (green algae): 1,800 mg/l Exposure time: 7 d

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-omega-hydroxy-, branched:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 2.5 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1.5 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): 2.5 mg/l Exposure time: 72 h EC10 (Desmodesmus subspicatus (green algae)): 0.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC: 1.73 mg/l Method: QSAR
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 1.36 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: QSAR

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 0.43 mg/l Exposure time: 96 h
------------------	---

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.073 mg/l Exposure time: 48 h GLP: yes
Toxicity to algae/aquatic plants	:	ErC10 (Desmodesmus subspicatus (green algae)): 0.012 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Selenastrum capricornutum (green algae)): > 0.001 - 0.01 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0.024 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	1

N-dodecylpropane-1,3-diamine:

M-Factor (Acute aquatic toxicity)	:	1
-----------------------------------	---	---

Ecotoxicology Assessment

Acute aquatic toxicity	:	Very toxic to aquatic life.
------------------------	---	-----------------------------

dodecylamine:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 0.84 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.323 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): 0.08 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Desmodesmus subspicatus (green algae)): 0.03 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to daphnia and other	:	NOEC: 0.013 mg/l

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

aquatic invertebrates (Chronic toxicity)

Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: According to OECD criteria, the product is inherently biodegradable.
The statement has been derived from the properties of the individual components.

Components:

didecyldimethylammonium chloride:

Biodegradability : Concentration: 10 mg/l
Result: Readily biodegradable.
Biodegradation: 72 %
Exposure time: 28 d
Method: OECD 301B/ ISO 9439/ EEC 84/449 C5
GLP: yes

propan-2-ol:

Biodegradability : Result: Readily biodegradable.

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: > 60 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine:

Biodegradability : Result: rapidly biodegradable
Biodegradation: 79 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

N-dodecylpropane-1,3-diamine:

Biodegradability : Remarks: No data available

dodecylamine:

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Components:

didecyldimethylammonium chloride:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Exposure time: 46 d
Bioconcentration factor (BCF): 81

propan-2-ol:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow ≤ 4).

Partition coefficient: n-octanol/water : log Pow: 0.05 (20 °C)
Method: OECD Test Guideline 107

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched:

Bioaccumulation : Remarks: None reasonably foreseeable.

Partition coefficient: n-octanol/water : Remarks: Not applicable

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: -0.7

N-dodecylpropane-1,3-diamine:

Bioaccumulation : Remarks: No data available

dodecylamine:

Bioaccumulation : Remarks: No data available

12.4 Mobility in soil

Components:

didecyldimethylammonium chloride:

Mobility : Remarks: Mobile in soils

propan-2-ol:

Mobility : Remarks: Mobile in soils

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched:

Mobility : Remarks: No data available

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine:

Mobility : Remarks: After release, adsorbs onto soil.

N-dodecylpropane-1,3-diamine:

Mobility : Remarks: No data available

dodecylamine:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

|| Mobility : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : None known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Disposal together with normal waste is not allowed. Special disposal required according to local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

ADR : UN 1903

IMDG : UN 1903

IATA : UN 1903

14.2 UN proper shipping name

ADR : DISINFECTANT, LIQUID, CORROSIVE, N.O.S.
(didecyldimethylammonium chloride)

IMDG : DISINFECTANT, LIQUID, CORROSIVE, N.O.S.
(didecyldimethylammonium chloride)

IATA : Disinfectant, liquid, corrosive, n.o.s.
(didecyldimethylammonium chloride)

14.3 Transport hazard class(es)

Class

Subsidiary risks

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

ADR : 8
IMDG : 8
IATA : 8

14.4 Packing group

ADR
Packing group : III
Classification Code : C9
Hazard Identification Number : 80
Labels : 8
Tunnel restriction code : (E)

IMDG
Packing group : III
Labels : 8
EmS Code : F-A, S-B

IATA (Cargo)
Packing instruction (cargo aircraft) : 856
Packing instruction (LQ) : Y841
Packing group : III
Labels : Corrosive

IATA (Passenger)
Packing instruction (passenger aircraft) : 852
Packing instruction (LQ) : Y841
Packing group : III
Labels : Corrosive

14.5 Environmental hazards

ADR
Environmentally hazardous : yes

IMDG
Marine pollutant : yes

14.6 Special precautions for user

Remarks : Not classified as supporting combustion according to the transport regulations.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus *No Change Service!*

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

UK REACH List of restrictions (Annex 17)	: Conditions of restriction for the following entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	: Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	: Not applicable
Volatile organic compounds	: Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 5.2 %
according to Detergents Regulation EC 648/2004	: < 5%: Non-ionic surfactants

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory
AIIC	: All components are listed on the inventory, regulatory obligations/restrictions apply
DSL	: All components of this product are on the Canadian DSL
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

|| No Chemical Safety Assessment has been carried out for this mixture.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus **No Change Service!**

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

SECTION 16: Other information

Full text of H-Statements

H225	: Highly flammable liquid and vapour.
H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H314	: Causes severe skin burns and eye damage.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H335	: May cause respiratory irritation.
H336	: May cause drowsiness or dizziness.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Skin Corr.	: Skin corrosion
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	: Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Ef-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

quartasept® plus **No Change Service!**

Version
06.06

Revision Date:
03.04.2024

Date of last issue: 06.09.2022

fect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Met. Corr. 1	H290
Acute Tox. 4	H302
Skin Corr. 1B	H314
Eye Dam. 1	H318
Aquatic Acute 1	H400
Aquatic Chronic 2	H411

Classification procedure:

Based on product data or assessment
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.